



ARV-T4000

All-in-one video and audio conference group

The Arvia ARV-T4000 All-in-One video and audio conference group is the best choice for medium to large conference. The Conference system inclues a 4K Ultra HD 12x Optical Zoom PTZ Camera, a 360° Voice Pickup Bluetooth speakerphone and a hub. The 4K enterprise-quality video conferencing system takes anytime, anywhere video collaboration to a new level.





SONY Sensor



12X Zoom

360°

Voice Pickup

Wide View Angle

Voice
Direction Indicator

Noise Reduction Echo Cancellation

EASY TO USE WITH MULTIPLE CONNECTION TO FIT IN MOST SECENARIOS

Align with USB3.0. HDMI and POF interface to meet different needs in meetings





12× Optical Zoom

The 12x optical zoom lens ensures every detail of the image can be seen clearly. Every subtle facial expression can be captured during the PTZ movements without any image distortion.



360° SOUND PICKUP

The built-in 360° omnidirectional microphone with a pickup radius of 20ft(6M), ensures each participant can be heard clearly. With intelligent voice recognition, the LED indicator light can clearly recognize the direction of speaker.





Universal Compatibility

Pan 350° left 175°, right 175°



Tilt 180°

up 90°,down 90°





























SPECIFICATION

ARV T-4000 (All in one conference kit)

Parameters of the camera

CAMERA

USB3.0/HDM1 PTZ camera with 12x zoom

Image Sensor

SONY IMX415 1/2.8" CMOS

Effective pixels

8.29MP, 16:9

Lens

f=3.9-46.8mm

Aperture

F1.6-F9.6

Video Format

HDMI (4KP@30/25fps, 1080P@60/50/30/25fps, 720P@60/50/30/25fps), USB3.0 (3840*2160P@30fps, 2560*1440P@30fps, 1920*1080P@30fps, 1280*720P@30fps, 640*480P@30fps, 320*240P@30fps) YUV2/NV12/H.264/H.265/MJPG

Optical zoom

12x optical zoom

Horizontal Angle

70.82°(W)-6.48°(T)

Vertical Angle

47.72°(W)-73.66°(T)

Diagonal Angle

78.58°(W)-7.42°(T)

Video interfaces

HDMI, Type-C, Ethernet

Backlight Compensation

Support

Pan/Tilt Rotation

±175°, -90°~+90°

Preset Number

255 presets by Pelco D, 32 presets by Pelco-P, 7 presets by Visca (10 presets by remote controller)

Focus

Auto/Manual

Parameter of the speakerphone

Pick up range

6 meters

Bluetooth

BT5.0

Battery

8000mAH(Built-in lithium battery): Music time (up to 14 hours); Battery life (call) up to 27 hours; Fastest charging time: 3 hours Regularly charging time: 6 hours (Support PD2.0/3.0 charging)

Meeting Room Size

15-30m, Up to 15 attendees

4x Digital Silicon Mics Array

Microphone Type

Omni-directional (360 degree pickup range)

Microphone Sensitivity

-27dBFS

Noise Reduction

Yes

Full Duplex Audio

Yes

AEC

Yes

Frequency Range

100Hz to 22kHz

Speaker

5W/120dB

Interface

1 x Type-C, 1 x 3.5mm audio port

System Requirements

Windows 7/8/10 or above, MacOS 10.7 or above, Chrome OS V29.01547 or above

Application Support

Software: Skype. FaceTime, Zoom, Microsoft Teams, Hangouts OBS and Xsplit, etc.



We are ISO certified Company and Shariah Compliant









Wisma Israk, No. 20, Jalan BP 6/13, Bandar Bukit Puchong, 47120, Puchong, Selangor



