



Model Arvia ARV KT-M2 Double Series

2.4 G wireless communication speakerphone configured with two independent work omnidirectional microphone

ARV KT-M2 double series conference telephone based on internet communication is a 2.4G wireless digital conference, cooperating with software video system and video screen, such as Skype, QQ video or voice communication system, meeting with higher quality experience, making the meeting more efficient. It is suitable for all kinds of hardware video conference system, education training system, network monitoring system, remote medical system, network monitoring system, smart city system, conference recording system, etc.

Features

2.4G wireless communication

Supporting Skype, Wechat, MSN and other online communication software

Personal conference

Connecting by 3.5mm earphone plug, communication will be more private and do not trouble colleague

Arvia audio High tech

360-degree mic coverage
256ms acoustic echo cancellation
Full duplex
Dynamic Noise Reduction(DNR)


Portable external microphone and speaker

No need driver; clear, unmixed and not harsh sound quality; Elegant business appearance



2.4G wireless and digital conference phone with omnidirectional MIC

ARV KT-M2 2.4 G wireless communication speakerphone configured with two independent work omnidirectional microphone and a wireless adapter .



256ms echo cancellation Full duplex Dynamic Noise Reduction(DNR)

No need to driver; clear, unmixed and not harsh sound quality;
Elegant business appearance





- ① Speaker mute button ② volume-
③ Power switch key ④ volume+ ⑤ Microphone mute button



2.4G wireless USB adapter

2.4G wireless connection More convenient to move

Wireless technology, stable signal, no interference transmission over 10 meters,
You can also place the device where you want



USB plug and play No need driver

Use 2.4G wireless USB to quickly connect to the computer, plug and play, No need to drive, convenient and fast, solve the tedious matching process for you



Windows 8 / Windows 7 / Windows 10/Windows XP.,ect.



Application scenario



Specification

Architecture

- Tabletop console contains audio processing functions ,USB function, indicator and key function
- double speakerphone
- Built-in lithium battery(7-10h)
- 2.4G wireless USB adapter
- 1.5m USB power line
- USB charging plug

Size

- 155*148*37mm

Weight

- 340g

Color

- Black

Network interface

- USB 2.0 (compatible with USB 1.1)
- 3.5mm audio interface (out)

Microphone

- omni microphones 100-8000Hz

Loudspeaker

- 3.94-inch anti magnetic speaker

Power

- USB supply (DC 5V/500mA)
- Built-in lithium battery

Recommended conditions

- temperature 5°~44°
- humidity 20~85% condensation free
- noise level: <48db
- storage temperature -10°~55°
- Reverberation time: <0.5 seconds

Audio

- Digital audio processing
- 256ms echo cancellation
- Dynamic noise reduction
- full duplex
- 360 degree pick-up range

Computer system

- Windows 8 / Windows 7 / Windows 10 / Windows XP, etc.

Function

- support computer software audio
 - Skype, Wechat, QQ ect.
- microphone mute
- loudspeaker mute
- volume up/down
- indicator
- 2.4G wireless connection
- enable earphone

2.4G USB adapter

- 2.4 G RF and data processing
- folding SMA antenna

Keypad

- microphone mute key
- loudspeaker mute key
- volume up/down keys
- standby key

Indicator LED

- triangle indicator on: working
- left indicator on: speaker mute
- right indicator on: MIC mute
- left indicator flashing: volume adjusting
- right indicator in orange: full charge



Israk Solutions Sdn. Bhd (1289622-T)

No. 20, Jalan BP 6/13, Bandar Bukit Puchong, 47120, Puchong, Selangor



<http://www.israk.my>



info@israk.my



03-8966 2405