

OMNI-DIRECTIONAL AUDIO CONFERENCE MICROPHONE SPEAKER

ARV KT-M4

(Suitable for room up to 25 people)



360° pickup
radius 6 meters



6 omnidirectional MICs,
AI intelligent noise reduction



12 hours
lasting talk time



10 watts of high
power for clearer hearing



Storage and
charging function



Automatic power
saving and energy saving

360° all-round pickup

360° omnidirectional sound pickup, 6 array microphones,
with a pickup diameter of 12 meters,
with DSP processing echo suppression and noise reduction effects,
so that remote sounds can be heard more clearly



10 watt high power speaker


The built-in speaker has 2-3 times the
power of similar products in the market,
with louder sound and heavier bass,
which solves the problem of low conference sound



DSP intelligent noise reduction

Restore the original sound

The use of DSP noise reduction algorithm can remove
the invalid noise and echo of the environment,
improve the quality of the call, retain more sound details,
and greatly improve the clarity of the call.



Long-lasting battery life smart power saving

Built-in large-capacity lithium battery, can last 8-12 hours of meeting,
automatically save energy and power after 15 minutes, and closedown



Friendly reminder: Please charge the device in time when the red light flashes continuously

Equipped with USB wireless receiver

Providing a stable wireless connection for computers and conference computers

Mobile office, cellphone charging

Built-in large-capacity lithium battery, the speaker becomes a power bank in seconds, which effectively solves the problem of mobile phone power shortage during mobile office and meetings




Product appearance

The speaker uses a black silicone panel, which feels delicate and comfortable, Metal frosted iron mesh and metal surround, high-end atmosphere, simple but not simple



Product function display




Power input/audio, microphone transmission



Multiple connection methods



Bluetooth connection





USB receiver connection

The USB receiver is connected to the computer and the speaker wirelessly



Type-C connection

The data line is connected to the computer and the speaker directly



Specification

Basic parameters

Total power:	10W THD 1KHz 10%
Input sensitivity:	500mV1KHz THD1%
Signal to noise ratio:	> 70dB
Speaker unit:	2.75 inch 4 Ω 10W
Frequency characteristics:	90Hz ---20KHz (1KHz 0dB, ±3dB)
LED indication:	Power supply, Charging, Code matching, Bluetooth, volume (20LED lights)
Input interface:	type-c
Output Interface:	USB charging 2.1A
Headphone output interface:	3.5ST
Built-in battery:	3.7V 4000mA/H
Power requirements:	DC5V-1.5A
Standby time:	About 300 hours
Working hours:	8-12 hours
Colour:	Black, gray
Product Size:	160*45mm
Product number:	BT51WB

Call parameters

MIC:	6 omnidirectional microphones
DSP processing:	Eliminate echo and environmental noise
Pickup angle:	360° all-round
Pickup distance:	More than 5M (noise environment within 60 decibels)

System parameters

USB support system:	Windows、Linux、Android、iOS。
USB wireless interface support system:	Windows、Linux、Android、iOS。



Israk Solutions Sdn. Bhd (1289622-T)

No. 20, Jalan BP 6/13, Bandar Bukit Puchong, 47120, Puchong, Selangor



<http://www.israk.my>



info@israk.my



03-8966 2405